Material Safety Data Sheet

Version 4.2 Revision Date 04/08/2010 Print Date 08/19/2011

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : Sodium dodecyl sulfate

Product Number : L4390 Brand : Sigma

Company : Sigma-Aldrich

3050 Spruce Street SAINT LOUIS MO 63103

USA

Telephone : +1 800-325-5832 Fax : +1 800-325-5052 Emergency Phone # : (314) 776-6555

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Flammable solid, Target Organ Effect, Harmful by ingestion., Toxic by skin absorption, Irritant

Target Organs

LungsLungs

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H228 Flammable solid.
H302 Harmful if swallowed.
H311 Toxic in contact with skin.
H315 Causes skin irritation.
H319 Causes serious eye irritation.

H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

H401 Toxic to aquatic life.

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

HMIS Classification

Health hazard: 2
Chronic Health Hazard: *
Flammability: 3
Physical hazards: 1

NFPA Rating

Health hazard: 2 Fire: 3 Reactivity Hazard: 1

Health hazard: 2 Reactivity Hazard: 3

Potential Health Effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation. **Skin** Toxic if absorbed through skin. Causes skin irritation.

Eyes Causes eye irritation. **Ingestion** Harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Synonyms : Lauryl sulfatesodium salt

Sodium lauryl sulfate Dodecyl sodium sulfate Dodecyl sulfatesodium salt

SDS

CAS-No.	EC-No.	Index-No.	Concentration
Sodium dodecyl sulphate			
151-21-3	205-788-1	-	-

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing give artificial respiration Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for fire-fighters

Wear self contained breathing apparatus for fire fighting if necessary.

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas.

Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Sigma - L4390 Page 2 of 6

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Store in cool place.

hygroscopic

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves.

Eye protection

Face shield and safety glasses

Skin and body protection

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form solid Colour white

Safety data

pH 7.2

Melting point 204 - 207 °C (399 - 405 °F) - lit.

Boiling point no data available Flash point 10 °C (50 °F)

Flammability (solid,

The substance or mixture is a flammable solid with the subcategory 1.

gas)

Ignition temperature no data available
Lower explosion limit no data available
Upper explosion limit no data available
Density 0.370 g/cm3

Water solubility soluble

Sigma - L4390 Page 3 of 6

Partition coefficient:

log Pow: 1.6 n-octanol/water

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Conditions to avoid

Heat, flames and sparks.

Materials to avoid

Oxidizing agents

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Carbon oxides, Sulphur oxides

11. TOXICOLOGICAL INFORMATION

Acute toxicity

LD50 Oral - rat - 1,288 mg/kg

LC50 Inhalation - rat - 1 h - > 3,900 mg/m3

LD50 Dermal - rabbit - 580 mg/kg

Skin corrosion/irritation

Skin - rabbit - Skin irritation - 24 h

Serious eye damage/eye irritation

Eyes - rabbit - Eye irritation

Respiratory or skin sensitization

Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable,

possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or

anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure (GHS)

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure (GHS)

no data available

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion Harmful if swallowed.

Skin Toxic if absorbed through skin. Causes skin irritation.

Eves Causes eye irritation.

Signs and Symptoms of Exposure

sneezing, The sodium salt of dodecyl sulfate has been reported to cause pulmonary sensitization resulting in hyperactive airway dysfunction and pulmonary allergy accompanied by fatigue, malaise, and aching. Significant symptoms of exposure can persist for more than two years and can be activated by a variety of nonspecific environmental stimuli such as automobile exhaust, perfumes, and passive smoking.

Additional Information

RTECS: WT1050000

12. ECOLOGICAL INFORMATION

Toxicity

Toxicity to fish mortality NOEC - Oncorhynchus mykiss (rainbow trout) - 19.5 mg/l - 96 h

mortality LOEC - Pimephales promelas (fathead minnow) - 4.6 mg/l - 8 d

LC50 - Oncorhynchus mykiss (rainbow trout) - 3.6 mg/l - 96 h

Toxicity to algae Growth inhibition LOEC - Pseudokirchneriella subcapitata - 2.68 mg/l - 6 d

Persistence and degradability

no data available

Bioaccumulative potential

Bioaccumulation Cyprinus carpio (Carp) - 72 h

Bioconcentration factor (BCF): 3.9 - 5.3

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN-Number: 2926 Class: 4.1 (6.1) Packing group: II

Proper shipping name: Flammable solids, toxic, organic, n.o.s. (Sodium dodecyl sulphate)

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN-Number: 2926 Class: 4.1 (6.1) Packing group: II EMS-No: F-A, S-G

Proper shipping name: FLAMMABLE SOLID, TOXIC, ORGANIC, N.O.S. (Sodium dodecyl sulphate)

Marine pollutant: No

IATA

UN-Number: 2926 Class: 4.1 (6.1) Packing group: II

Proper shipping name: Flammable solid, toxic, organic, n.o.s. (Sodium dodecyl sulphate)

15. REGULATORY INFORMATION

OSHA Hazards

Flammable solid, Target Organ Effect, Harmful by ingestion., Toxic by skin absorption, Irritant

Sigma - L4390 Page 5 of 6

DSL Status

All components of this product are on the Canadian DSL list.

SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components

SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components

Sodium dodecyl sulphate CAS-No. Revision Date 151-21-3

New Jersey Right To Know Components

Sodium dodecyl sulphate CAS-No. Revision Date 151-21-3

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Further information

Copyright 2010 Sigma-Aldrich Co. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Co., shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma - L4390 Page 6 of 6